Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
G. N. Cohen
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
C. M. Radding
F. M. Richards
T. Staehelin
P. M. B. Walker
J. C. Wang
S. M. Weissman

QH301
J73

VOLUME 95
15 June 1975 to 15 July 1975

ACADEMIC PRESS
LONDON NEW YORK SAN FRANCISCO

Copyright ©1975, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 95

NUMBER 1, 15 JUNE 1975

SUBRAMANIAN, A. R., Copies of Proteins L7 and L12 and Heterogeneity of the Large Subunit of *Escherichia coli* Ribosome 1

LAVA-SANCHEZ, P. A. and PUPPO, S., Occurrence *in vivo* of "Hidden Breaks" at Specific Sites of 26 S Ribosomal RNA of *Musca carnaria* . . . 9

TAKANAMI, M., OKAMOTO, T., SUGIMOTO, K. and SUGISAKI, H., Studies on Bacteriophage fd DNA. I. A Cleavage Map of the fd Genome . . 21

OKAMOTO, T., SUGIMOTO, K., SUGISAKI, H. and TAKANAMI, M., Studies on Bacteriophage fd DNA. II. Localization of RNA Initiation Sites on the Cleavage Map of the fd Genome 33

DIAZ, A. T., WIENER, D. and WERNER, R., Synthesis of Small Polynucleotide Chains in Thymine-depleted Bacteria 45

DIAZ, A. T. and WERNER, R., Mechanism of DNA Chain Growth . . . 63

COLONNA-CESARI, F., PREMILAT, S. and LOTZ, B., Conformational Analysis of the β Sheet Structure of Poly-L-alanine and Poly(L-alanine–glyicne) . 71

EMMONS, S. W., MACCOSHAM, V. and BALDWIN, R. L., On the Mechanism of Production of Tandem Genetic Duplications in Phage Lambda . . 83

THOMAS, G., SWEENEY, R., CHANG, C. and NOLLER, H. F., Identification of Proteins Functionally Altered by Chemical Modification of the Transfer RNA and Polyuridylic Acid Binding Sites of 30 S Ribosomal Subunits . 91

BRESLOFF, J. L. and CROTHERS, D. M., DNA–Ethidium Reaction Kinetics: Demonstration of Direct Ligand Transfer Between DNA Binding Sites 103
Appendix: Kinetics of Transfer Between two Nucleic Acids . . . 121

CRONENBERGER, J. H. and ERDMANN, V. A., Stimulation of Polypeptide Polymerization by Blocking of Free Sulphydryl Groups in *Escherichia coli* Ribosomal Proteins 125

LETTERS TO THE EDITOR

CARLSON, F. D., Corrections 139

MORSE, J. W. and DEUTSCHER, M. P., Apparent Non-involvement of Transfer RNA Nucleotidyltransferase in the Biosynthesis of *Escherichia coli* Suppressor Transfer RNAs 141

ANNOUNCEMENT 145

NUMBER 2, 25 JUNE 1975

HORIUCHI, K., VOVIS, G. F., ENEA, V. and ZINDER, N. D., Cleavage Map of Bacteriophage f1: Location of the *Escherichia coli* B-specific Modification Sites . 147

CREIGHTON, T. E., The Two-disulphide Intermediates and the Folding Pathway of Reduced Pancreatic Trypsin Inhibitor 167

CORNISH-BOWDEN, A. and KOSHLAND, D. E., Jr, Diagnostic Uses of the Hill (Logit and Nernst) Plots 201

STAMMERS, D. K. and MUIRHEAD, H., Three-dimensional Structure of Cat Muscle Pyruvate Kinase at 6 Å Resolution 213

KISH, V. M. and PEDERSON, T., Ribonucleoprotein Organization of Polyadenylate Sequences in HeLa Cell Heterogeneous Nuclear RNA . . . 227

KAHAN, L., FENTON, W. A. and MURAKAMI, W. T., Specificity and Distribution of Antigenic Determinants on the Polyoma Virus Capsid and Nature of the Reaction of Immunoglobulin G Antibody with the Capsid Surface . 239

CEDAR, H., Transcription of DNA and Chromatin with Calf Thymus RNA Polymerase B *in vitro* 257

HORIUCHI, T., SATO, T. and NAGATA, T., DNA Degradation in an Amber Mutant of *Escherichia coli* K12 Affecting DNA Ligase and Viability . . . 271

MINTON, A. P., Thermodynamic Analysis of the Chemical Inhibition of Sickle-cell Hemoglobin Gelation 289

APPENDIX: The Calculation of e_i as a Function of Individual Binding Site Properties 306

LAUER, G. D. and KLOTZ, L. C., Determination of the Molecular Weight of *Saccharomyces cerevisiae* Nuclear DNA 309

LETTERS TO THE EDITOR

FILES, J. G., WEBER, K., COULONDRE, C. and MILLER, J. H., Identification of the UUG Codon as a Translational Initiation Codon *in vivo* . . 327

BERTHOU, J., RÉRAT, C., RÉRAT, B., GADET, A., FOURME, R., RENAUD, M., DUBORD, C., PRADEL, L.-A., ROUSTAN, C. and VAN THOAI, N., Preliminary X-ray Diffraction Studies on Lobster ATP: L-Arginine Phosphotransferase 331

NUMBER 3, 5 JULY 1975

AKSIYOTE-BENBASAT, J. and BLOOMFIELD, V. A., Joining of Bacteriophage T4D Heads and Tails: A Kinetic Study by Inelastic Light Scattering . . 335

Guss, J. M., Hukins, D. W. L., Smith, P. J. C., Winter, W. T., Arnott, S., Moorhouse, R. and Rees, D. A., Hyaluronic Acid: Molecular Conformations and Interactions in Two Sodium Salts 359

Sharma, V. S., Everse, J. and Ranney, H. M., Effect of Urea on the Kinetics of Ligand Combination Reactions of Hemoglobins A and H, α^{SH} Chains and Myoglobin 385

Lis, J. T. and Schleif, R., The Isolation and Characterization of Plaque-forming Arabinose Transducing Bacteriophage λ 395

Lis, J. T. and Schleif, R., The Regulatory Region of the L-Arabinose Operon: Its Isolation on a 1000 Base-pair Fragment from DNA Heteroduplexes . 409

Schleif, R. and Lis, J. T., The Regulatory Region of the L-Arabinose Operon: A Physical, Genetic and Physiological Study 417

Jacrot, B., Studies on the Assembly of a Spherical Plant Virus. II. The Mechanism of Protein Aggregation and Virus Swelling 433

Fine, R. E. and Blitz, A. L., A Chemical Comparison of Tropomyosins from Muscle and Non-muscle Tissues 447

Dubroff, L. M. and Nemer, M., Molecular Classes of Heterogeneous Nuclear RNA in Sea Urchin Embryos 455

Letter to the Editor

Pober, J. S. and Stryer, L., Light Dissociates Enzymatically-cleaved Rhodopsin into Two Different Fragments 477

Number 4, 15 July 1975

Salesse, R., Castaing, M., Pernollet, J. C. and Garnier, J., Association-dependent Active Folding of Alpha and Beta Subunits of Lutropin (Luteinizing Hormone) 483

Dunn, B. M. and Chaiken, I. M., Relationship between α-Helical Propensity and Formation of the Ribonuclease-S Complex 497

Peacock, D. and Boulter, D., Use of Amino Acid Sequence Data in Phylogeny and Evaluation of Methods using Computer Simulation . . . 513

Guthrie, C., The Nucleotide Sequence of the Dimeric Precursor to Glutamine and Leucine Transfer RNAs Coded by Bacteriophage T4 . . . 529

Suzuki, H. and Iino, T., Absence of Messenger Ribonucleic Acid Specific for Flagellin in Non-flagellate Mutants of *Salmonella* 549

Vovis, G. F. and Zinder, N. D., Methylation of f1 DNA by a Restriction Endonuclease from *Escherichia coli* B 557

Letter to the Editor

Gualerzi, C., Grandolfo, M., Paradies, H. H. and Pon, C., Circular Dichroism Analysis of the Ribosomal Binding of Initiation Factor IF-3 569

Announcement 575

Index to Volume 95

F-actin and F-actin complexes, dynamics; corrections to earlier paper by F. D. Carlson, 139
Aksiyote-Benbasat, J. & Bloomfield, V. A., Joining of bacteriophage T4D heads and tails: a kinetic study by inelastic light scattering, 335
Amber mutant of *Escherichia coli* K12, DNA degradation affects DNA ligase and viability, 271
Amino acid sequence data used in phylogeny, evaluation of methods using computer simulation, 513
L-Arabinose operon regulatory region: a physical, genetic and physiological study, 417
— — — —: its isolation on a 1000 base-pair fragment from DNA heteroduplexes, 409
Arabinose transducing bacteriophage λ, plaque-forming, isolation and characterization, 395
Arnott, S. (see also Guss, J. M.), 359
Assembly of a spherical plant virus; mechanism of protein aggregation and virus swelling, 433
Association-dependent active folding of alpha and beta subunits of lutropin (luteinizing hormone), 483
ATP: L-arginine phosphotransferase of lobster, preliminary X-ray diffraction studies, 331

β Sheet structure of poly-L-alanine and poly (L-alanine-glycine), conformational analysis, 71
Bacteriophage f1 cleavage map: location of the *Escherichia coli*-B specific modification sites, 147
— —, methylation of DNA by a restriction endonuclease from *Escherichia coli* B, 557
— fd DNA studies. I. A cleavage map of the fd genome, 21
— — — —. II. Localization of RNA initiation sites on the cleavage map of the fd genome, 33
— λ, arabinose transducing, plaque-forming, isolation and characterization, 395
— —, mechanism of production of tandem genetic duplications, 83
— T4 coded glutamine and leucine tRNAs, nucleotide sequence of the dimeric precursor, 529
— T4D, joining of heads and tails: a kinetic study by inelastic light scattering, 335
Baldwin, R. L. (see also Emmons, S. W.), 83
Berthou, J., Rérat, C., Rérat, B., Gadet, A., Fourme, R., Renaud, M., Dubord, C., Pradel, L.-A., Roustan, C. & Van Thoai, N., Preliminary X-ray diffraction studies on lobster ATP: L-arginine phosphotransferase, 331
Binding, ribosomal, of initiation factor IF-3, circular dichroism analysis, 569
— sites of DNA, demonstration of direct ligand transfer between sites: DNA-ethidium reaction kinetics, 103
— — — 30 S ribosomal subunits for tRNA and polyuridylic acid, chemical modification alters proteins functionally, 91
Biosynthesis of *Escherichia coli* suppressor tRNAs, apparent non-involvement of tRNA nucleotidyltransferase, 141
Blitz, A. L. (see also Fine, R. E.), 447
Bloomfield, V. A. (see also Aksiyote-Benbasat, J.), 335
Boulter, D. (see also Peacock, D.), 513
Bresloff, J. L. & Crothers, D. M., DNA-ethidium reaction kinetics: demonstration of direct ligand transfer between DNA binding sites, 103

Calf thymus RNA polymerase B, transcription of DNA and chromatin *in vitro*, 257
Capsid, polyoma virus, specificity and distribution of antigenic determinants and nature of the reaction of immunoglobulin G antibody with the capsid surface, 239
Carlson, F. D. Corrections to paper on the dynamics of F-actin and F-actin complexes, 139
Castaing, M. (see also Salesse, R.), 483
Cat muscle pyruvate kinase, three-dimensional structure at 6 Å resolution, 213
Cedar, H., Transcription of DNA and chromatin with calf thymus RNA polymerase B *in vitro*, 257
Chaiken, I. M. (see also Dunn, B. M.), 497
Chain growth mechanism of DNA, 63
Chains, α^{SH}, hemoglobins A and H and myoglobin, kinetics of ligand combination reactions, effects of urea, 385
—, polynucleotide, small, synthesis in thymine-depleted bacteria, 45

Chang, C. (see also Thomas, G.), 91
Chemical comparison of tropomyosins from muscle and non-muscle tissues, 447
— inhibition of sickle-cell hemoglobin gelation, thermodynamic analysis, 289
— modification of the tRNA and polyuridylic acid binding sites of 30 S ribosomal subunits functionally alters proteins, 91
Chromatin and DNA transcription with calf thymus RNA polymerase B *in vitro*, 257
Circular dichroism analysis of the ribosomal binding of initiation factor, IF-3, 569
Cleavage map of bacteriophage f1: location of the *Escherichia coli* B-specific modification sites, 147
— — — — fd DNA, 21
— — — — — —, localization of RNA initiation sites, 33
— of rhodopsin by thermolysin into two fragments forming a complex dissociated by light, 477
Colonna-Cesari, F., Premilat, S. & Lotz, B., Conformational analysis of the β sheet structure of poly-L-alanine and poly (L-alanine-glycine), 71
Conformational analysis of the β sheet structure of poly-L-alanine and poly (L-alanine-glycine), 71
Conformations and interactions, molecular, in two sodium salts of hyaluronic acid, 359
Cornish-Bowden, A. & Koshland, D. E., Jr, Diagnostic uses of the Hill (logit and Nernst) plots, 201
Coulondre, C. (see also Files, J. G.), 327
Creighton, T. E., The two-disulphide intermediates and the folding pathway of reduced pancreatic trypsin inhibitor, 167
Cronenberger, J. H. & Erdmann, V. A., Stimulation of polypeptide polymerization by blocking of free sulphydryl groups in *Escherichia coli* ribosomal proteins, 125
Crothers, D. M. (see also Bresloff, J. L.), 103

DNA and chromatin transcription with calf thymus RNA polymerase B *in vitro*, 257
—, 1000 base-pair fragment, isolated from DNA heteroduplexes, contains regulatory region of the L-arabinose operon, 409
— chain growth mechanism, 63
— degradation in an amber mutant of *Escherichia coli* K12 affecting DNA ligase and viability, 271
— -ethidium reaction kinetics: demonstration of direct ligand transfer between DNA binding sites, 103
—, f1, methylation by a restriction endonuclease from *Escherichia coli* B, 557
—, nuclear, of *Saccharomyces cerevisiae*, determination of molecular weight, 309
— of bacteriophage fd, a cleavage map, 21
— — bacteriophage fd, localization of RNA initiation sites on cleavage map, 33
— replication in thymine-depleted bacteria, 45
Deutscher, M. P. (see also Morse, J. W.), 141
Diagnostic uses of the Hill (logit and Nernst) plots, 201
Diaz, A. T. & Werner, R., Mechanism of DNA chain growth, 63
—, Wiener, D. & Werner, R., Synthesis of small polynucleotide chains in thymine-depleted bacteria, 45
Dichroism, circular, analysis of the ribosomal binding of initiation factor IF-3, 569
Disulphide, two-, intermediates and the folding pathway of reduced pancreatic trypsin inhibitor, 167
Dubord, C. (see also Berthou, J.). 331
Dubroff, L. M. & Nemer, M., Molecular classes of heterogeneous nuclear RNA in sea urchin embryos, 455
Dunn, B. M. & Chaiken, I. M., Relationship between α-helical propensity and formation of the ribonuclease-S complex, 497

Embryos, sea urchin, molecular classes of heterogeneous nuclear RNA, 455
Emmons, S. W., MacCosham, V. & Baldwin, R. L., On the mechanism of production of tandem genetic duplications in phage lambda, 83
Endonuclease, restriction, from *Escherichia coli* B, methylation of f1 DNA, 557
Enea, V. (see also Horiuchi, K.), 147
Erdmann, V. A. (see also Cronengerger, J. H.), 125

Escherichia coli, apparent non-involvement of tRNA nucleotidyltransferase in the biosynthesis of suppressor tRNAs, 141
— — B restriction endonuclease, methylation of f1 DNA, 557
— — B-specific modification site location; cleavage map of bacteriophage f1, 147
— — K12 amber mutant, DNA degradation affects DNA ligase and viability, 271
— — ribosomal proteins, blocking of free sulphydryl groups stimulates polypeptide polymerization, 125
— — ribosome, large subunit, heterogeneity and copies of proteins L7 and L12, 1
Ethidium-DNA reaction kinetics: demonstration of direct ligand transfer between DNA binding sites, 103
Everse, J. (see also Sharma, V. S.), 385

f1 (see Bacteriophage), 147, 557
fd (see Bacteriophage), 21, 33
Fenton, W. A. (see also Kahan, L.), 239
Files, J. G., Weber, K., Coulondre, C. & Miller, J. H., Identification of the UUG codon as a translational initiation codon *in vivo*, 327
Fine, R. E. & Blitz, A. L., A chemical comparison of tropomyosins from muscle and non-muscle tissues, 447
Flagellin mRNA absent in non-flagellate mutants of *Salmonella*, 549
Folding, active association-dependent, of alpha and beta subunits of lutropin(luteinizing hormone), 483
— pathway and two-disulphide intermediates of reduced pancreatic trypsin inhibitor, 167
Fourme, R. (see also Berthou, J.), 331

Gadet, A. (see also Berthou, J.), 331
Garnier, J. (see also Salesse, R.), 483
Gelation of sickle-cell hemoglobin inhibited chemically, thermodynamic analysis, 289
Genome of bacteriophage fd, a cleavage map, 21
— — — —, localization of RNA initiation sites on cleavage map, 33
Glutamine and leucine tRNAs coded by bacteriophage T4, nucleotide sequence of the dimeric precursor, 529
Grandolfo, M. (see also Gualerzi, C.), 569
Gualerzi, C., Grandolfo, M., Paradies, H. H. & Pon, C., Circular dichroism analysis of the ribosomal binding of initiation factor IF-3, 569
Guss, J. M., Hukins, D. W. L., Smith, P. J. C., Winter, W. T., Arnott, S., Moorhouse, R. & Rees, D. A., Hyaluronic acid: molecular conformations and interactions in two sodium salts, 359
Guthrie, C., The nucleotide sequence of the dimeric precursor to glutamine and leucine tRNAs coded by bacteriophage, T4, 529

Head-tail joining of bacteriophage T4D: a kinetic study by inelastic light scattering, 335
HeLa cell heterogeneous nuclear RNA, ribonucleoprotein organization of polyadenylate sequences, 227
α-Helical propensity and formation of the ribonuclease-S complex, 497
Hemoglobins A and H, α^{SH} chains and myoglobin, kinetics of ligand combination reactions, effects of urea, 385
Hemoglobin, sickle-cell, thermodynamic analysis of chemical inhibition of gelation, 289
"Hidden break" occurrence *in vivo* at specific sites of 26 S ribosomal RNA of *Musca carnaria*, 9
Hill (logit and Nernst) plots, diagnostic uses, 201
Horiuchi, K., Vovis, G. F., Enea, V. & Zinder, N. D., Cleavage map of bacteriophage f1: location of the *Escherichia coli* B-specific modification sites, 147
Horiuchi, T., Sato, T. & Nagata, T., DNA degradation in an amber mutant of *Escherichia coli* K12 affecting DNA ligase and viability, 271
Hukins, D. W. L. (see also Guss, J. M.), 359
Hyaluronic acid: molecular conformations and interactions in two sodium salts, 359

Ino, T. (see also Suzuki, H.), 549
Immunoglobulin G antibody reaction with polyoma virus capsid surface, 239
Inhibition, chemical, of sickle-cell hemoglobin gelation, thermodynamic analysis, 289
Inhibitor, pancreatic trypsin, reduced, two-disulphide intermediates and folding pathway, 167

Initiation factor IF-3 ribosomal binding, circular dichroism analysis, 569
— sites for RNA, localization on the cleavage map of the fd genome, 33
— translational codon, UUG codon identified *in vivo*, 327
Intermediates, two-disulphide, and the folding pathway of reduced pancreatic trypsin inhibitor, 167

Jacrot, B., Studies on the assembly of a spherical plant virus. II. The mechanism of protein aggregation and virus swelling, 433

Kahan, L., Fenton, W. A. & Murakami, W. T., Specificity and distributon of antigenic determinants on the polyoma virus capsid and nature of the reaction of immunoglobulin G antibody with the capsid surface, 239
Kish, V. M. & Pederson, T., Ribonucleoprotein organization of polyadenylate sequences in HeLa cell heterogeneous nuclear RNA, 227
Klotz, L. C. (see also Lauer, G. D.), 309
Koshland, D. E., Jr (see also Cornish-Bowden, A.), 201

λ (see Bacteriophage), 83, 395
Lauer, G. D. & Klotz, L. C., Determination of the molecular weight of *Saccharomyces cerevisiae* nuclear DNA, 309
Lava-Sanchez, P. A. & Puppo, S., Occurrence *in vivo* of "hidden breaks" at specific sites of 26 S ribosomal RNA of *Musca carnaria*, 9
Leucine and glutamine tRNAs coded by bacteriophage T4, nucleotide sequence of the dimeric precursor, 529
Ligand combination reaction kinetics of hemoglobins A and H, α^{SH} chains and myoglobin, effect of urea, 385
— transfer, direct, between DNA binding sites: DNA–ethidium reaction kinetics, 103
Ligase, DNA, in amber mutant of *Escherichia coli* K12 affected by DNA degradation, 271
Light dissociates enzymatically-cleaved rhodopsin into two different fragments, 477
— scattering, inelastic, used in kinetic study of joining of bacteriophage T4D heads and tails, 335
Lis, J. T. & Schleif, R., The isolation and characterization of plaque-forming arabinose transducing bacteriophage λ, 395
— — —, The regulatory region of the L-arabinose operon: its isolation on a 1000 base-pair fragment from DNA heteroduplexes, 409
— (see also Schleif, R.), 417
Lobster ATP: L-arginine phosphotransferase, preliminary X-ray diffraction studies, 331
Lotz, B. (see also Colonna-Cesari, F.), 71
Luteinizing hormone (lutropin), association-dependent active folding of alpha and beta subunits, 483
Lutropin (luteinizing hormone), association-dependent active folding of alpha and beta subunits, 483

MacCosham, V. (see also Emmons, S. W.), 83
Messenger RNA specific for flagellin, absence in non-flagellate mutants of *Salmonella*, 549
Methylation of f1 DNA by a restriction endonuclease from *Escherichia coli* B, 557
Miller, J. H. (see also Files, J. G.), 327
Minton, A. P., Thermodynamic analysis of the chemical inhibition of sickle-cell hemoglobin gelation, 289
Modification site location, *Escherichia coli* B-specific; cleavage map of bacteriophage f1, 147
Molecular classes of heterogeneous nuclear RNA in sea urchin embryos, 455
— weight determination for *Saccharomyces cerevisiae* nuclear DNA, 309
Moorhouse, R. (see also Guss, J. M.), 359
Morse, J. W. & Deutscher, M. P., Apparent non-involvement of tRNA nucleotidyltransferase in the biosynthesis of *Escherichia coli* suppressor tRNAs, 141
Murakami, W. T. (see also Kahan, L.), 239
Musca carnaria 26 S ribosomal RNA, occurrence *in vivo* of "hidden breaks" at specific sites, 9
Muscle and non-muscle tropomyosins, a chemical comparison, 447
— pyruvate kinase, cat, three-dimensional structure at 6 Å resolution, 213
Mutant, amber, of *Escherchia coli* K12, DNA degradation affects DNA ligase and viability, 271

Mutants, non-flagellate, of *Salmonella*, absence of mRNA specific for flagellin, 549
Myoglobin, a^{SH} chains and hemoglobins A and H, kinetics of ligand combination reactions, effect of urea, 385

Nagata, T. (see also Horiuchi, T.), 271
Nemer, M. (see also Dubroff, L. M.), 455
Noller, H. F. (see also Thomas, G.), 91
Nuclear DNA of *Saccharomyces cerevisiae*, determination of molecular weight, 309
— RNA, heterogeneous, from HeLa cells, ribonucleoprotein organization of polyadenylate sequences, 227
— — —, in sea urchin embryos, molecular classes, 455

Okamoto, T., Sugimoto, K. Sugisaki, H. & Takanami, M., Studies on bacteriophage fd DNA. II. Localization of RNA initiation sites on the cleavage map of the fd genome, 33
— (see also Takanami, M.), 21
Operon, L-arabinose, regulatory region: a physical, genetic and physiological study, 417
— — — —: its isolation on a 1000 base-pair fragment from DNA heteroduplexes, 409

Pancreatic trypsin inhibitor, reduced, two-disulphide intermediates and folding pathway, 167
Paradies, H. H. (see also Gualerzi, C.), 569
Peacock, D. & Boulter, D., Use of amino acid sequence data in phylogeny and evaluation of methods using computer simulation, 513
Pederson, T. (see also Kish, V. M.), 227
Pernollet, J. C. (see also Salesse, R.), 483
Phylogeny, use of amino acid sequence data and evaluation of methods using computer simulation, 513
Plaque-forming arabinose transducing bacteriophage λ, isolation and characterization, 395
Pober, J. S. & Stryer, L., Light dissociates enzymatically-cleaved rhodopsin into two different fragments, 477
Polyadenylate sequences in HeLa cell heterogeneous nuclear RNA, ribonucleoprotein organization, 227
Poly-L-alanine and poly (L-alanine-glycine) β sheet structure, conformational analysis, 71
Polymerase B of calf thymus RNA, transcription of DNA and chromatin *in vitro*, 257
Polymerization, polypeptide, stimulation by blocking of free sulphydryl groups in *Escherichia coli* ribosomal proteins, 125
Polynucleotide chains, small, synthesis in thymine-depleted bacteria, 45
Polyoma virus, specificity and distribution of antigenic determinants on the capsid and nature of the reaction of immunoglobulin G antibody with the capsid surface, 239
Polypeptide polymerization stimulated by blocking of free sulphydryl groups in *Escherichia coli* ribosomal proteins, 125
Polyuridylic acid and tRNA binding sites of 30 S ribosomal subunits, chemical modifications alter proteins functionally, 91
Pon, C. (see also Gualerzi, C.), 569
Pradel, L-A. (see also Berthou, J.), 331
Precursor, dimeric, to glutamine and leucine tRNAs coded by bacteriophage T4, nucleotide sequence, 529
Premilat, S. (see also Colonna-Cesari, F.), 71
Protein aggregation and virus swelling mechanisms; studies on the assembly of a spherical plant virus, 433
Proteins L7 and L12, copies and heterogeneity of the large subunit of *Escherichia coli* ribosome 1,
— functionally altered by chemical modification of the tRNA and polyuridylic acid binding sites of 30 S ribosomal subunits, 91
—, ribosomal, of *Escherichia coli*, blocking of free sulphydryl groups stimulates polypeptide polymerization, 125
Puppo, S. (see also Lava-Sanchez, P. A.), 9
Pyruvate kinase of cat muscle, three-dimensional structure at 6 Å resolution, 213

Ranney, H. M. (see also Sharma, V. S.), 385
Rees, D. A. (see also Guss, J. M.), 359

Regulatory region of the L-arabinose operon: a physical, genetic and physiological study, 417
— — — — —: its isolation on a 1000 base-pair fragment from DNA heteroduplexes, 409
Renaud, M. (see also Berthou, J.), 331
Replication of DNA in thymine-depleted bacteria, 45
Rérat, B. (see also Berthou, J.), 331
Rérat, C. (see also Berthou, J.), 331
Restriction endonuclease from *Escherichia coli* B, methylation of f1 DNA, 557
Rhodopsin, enzymatically-cleaved, dissociated by light into two different fragments, 477
Ribonuclease-S complex, relationship between α-helical propensity and formation, 497
RNA, calf thymus, polymerase B, transcription of DNA and chromatin *in vitro*, 257
— initiation site localization on the cleavage map of the fd genome, 33
—, messenger specific for flagellin, absence in non-flagellate mutants of *Salmonella*, 549
—, nuclear, heterogeneous, from HeLa cells, ribonucleoprotein organization of polyadenylate sequences, 227
— — —, in sea urchin embryos, molecular classes, 455
—, 26 S ribosomal, of *Musca carnaria*, occurrence *in vivo* of "hidden breaks" at specific sites, 9
—, transfer, and polyuridylic binding sites of 30 S ribosomal subunits, chemical modification alters proteins functionally, 91
— —, nucleotidyltransferase apparently not involved in the biosynthesis of *Escherichia coli* suppressor tRNAs, 141
— — of glutamine and leucine coded by bacteriophage T4, nucleotide sequence of the dimeric precursor, 529
Ribonucleoprotein organization of polyadenylate sequences in HeLa cell heterogeneous nuclear RNA, 227
Ribosomal binding of initiation factor IF-3, circular dichroism analysis, 569
— proteins of *Escherichia coli*, blocking of free sulphydryl groups stimulates polypeptide polymerization, 125
— RNA, 26 S, of *Musca carnaria*, occurrence *in vivo* of "hidden breaks" at specific sites, 9
— 30 S subunits, identification of proteins functionally altered by chemical modification of the tRNA and polyuridylic acid binding sites, 91
Ribosome of *Escherichia coli*, large subunit, heterogeneity and copies of proteins L7 and L12, 1
Roustan, C. (see also Berthou, J.), 331

Saccharomyces cerevisiae nuclear DNA, molecular weight determination, 309
Salesse, R., Castaing, M., Pernollet, J. C. & Garnier, J., Association-dependent active folding of alpha and beta subunits of lutropin (luteinizing hormone), 483
Salmonella, absence of mRNA specific for flagellin in non-flagellate mutants, 549
Sato, T. (see also Horiuchi, T.), 271
Scattering, inelastic, of light used in kinetic study of joining of bacteriophage heads and tails, 335
Schleif, R. & Lis, J. T., The regulatory region of the L-arabinose operon: a physical, genetic and physiological study, 417
— (see also Lis, J. T.), 395, 409
Sea urchin embryos, molecular classes of heterogeneous nuclear RNA, 455
Sequence data for amino acids, use in phylogeny and evaluation of methods using computer simulation, 513
— of nucleotides of the dimeric precursor to glutamine and leucine tRNAs coded by bacteriophage T4, 529
—, tandemly duplicated, in phage λ, conformational analysis, 83
Sequences, polyadenylate, in HeLa cell heterogeneous nuclear RNA, ribonucleoprotein organization, 227
Sharma, V. S., Everse, J, & Ranney, H. M., Effect of urea on the kinetics of ligand combination reactions of hemoglobins A and H, α^{SH} chains and myoglobin, 385
Sheet structure, β, of poly-L-alanine and poly (L-alanine-glycine), conformational analysis, 71
Sickle-cell hemoglobin, thermodynamic analysis of chemical inhibition of gelation, 289
Smith, P. J. C. (see also Guss, J. M.), 359
Sodium salts, two, of hyaluronic acid, molecular conformations and interactions, 359
Stammers, D. K. & Muirhead, H., Three-dimensional structure of cat muscle pyruvate kinase at 6 Å resolution, 213
Stimulation of polypeptide polymerization by blocking of free sulphydryl groups in *Escherichia coli* ribosomal proteins, 125
Structure, three-dimensional, of cat muscle pyruvate kinase at 6 Å resolution, 213
Stryer, L. (see also Pober, J. S.), 477

SUBRAMANIAN, A. R., Copies of proteins L7 and L12 and heterogeneity of the large subunit of *Escherichia coli* ribosome, 1
SUGIMOTO, K. (see also OKAMOTO, T.), 33
— (see also TAKANAMI, M.), 21
SUGISAKI, H. (see also OKAMOTO, T.), 33
— (see also TAKANAMI, M.), 21
sulphydryl groups, free, blocking in *Escherichia coli* ribosomal proteins stimulates polypeptide polymerization, 125
suppressor tRNAs of *Escherichia coli*, biosynthesis does not apparently involve tRNA nucleotidyltransferase, 141
SUZUKI, H. & INO, T., Absence of messenger ribonucleic acid specific for flagellin in non-flagellate mutants of *Salmonella*, 549
SWEENEY, R. (see also THOMAS, G.), 91
swelling, virus, mechanism and protein aggregation mechanism; studies on the assembly of a spherical plant virus, 433
synthesis of small polynucleotide chains in thymine-depleted bacteria, 45

T4 (see Bacteriophage), 529
T4D (see Bacteriophage), 335
TAKANAMI, M., OKAMOTO, T., SUGIMOTO, K. & SUGISAKI, H., Studies on bacteriophage fd DNA. I. A cleavage map of the fd genome, 21
— (see also OKAMOTO, T.), 33
tandem genetic duplications in phage lambda, mechanism of production, 83
thermodynamic analysis of the chemical inhibition of sickle-cell hemoglobin gelation, 289
thermolysin cleaves rhodopsin into two different fragments forming a complex which is dissociated by light, 477
THOMAS, G., SWEENEY, R., CHANG, C. & NOLLER, H. F., Identification of proteins functionally altered by chemical modification of the transfer RNA and polyuridylic acid binding sites of 30 S ribosomal subunits, 91
thymine-depleted bacteria, synthesis of small polynucleotide chains, 45
thymus RNA polymerase B of calf, transcription of DNA and chromatin *in vitro*, 257
transcription of DNA and chromatin with calf thymus RNA polymerase B *in vitro*, 257
transducing phage, λ *para*, isolation and characterization, 395
transfer RNA and polyuridylic acid binding sites of 30 S ribosomal subunits, chemical modification alters proteins functionally, 91
— — nucleotidyltransferase apparently not involved in the biosynthesis of *Escherichia coli* suppressor tRNAs, 141
transfer RNAs of glutamine and leucine coded by bacteriophage T4, nucleotide sequence of the dimeric precursor, 529
translational initiation codon, UUG codon identified *in vivo*, 327
tropomyosins from muscle and non-muscle tissues, a chemical comparison, 447
trypsin inhibitor, pancreatic, reduced, two-disulphide intermediates and folding pathway, 167

urea, effect on the kinetics of ligand combination reactions of hemoglobins A and H, α^{SH} chains and myoglobin, 385
UUG codon, identification as a translational initiation codon *in vivo*, 327

VAN THOAI, N. (see also BERTHOU, J.), 331
virus, plant, spherical, studies on assembly, mechanism of protein aggregation and virus swelling, 433
—, polyoma, specificity and distribution of antigenic determinants on the capsid and nature of the reaction of immunoglobulin G antibody with the capsid surface, 239
VOVIS, G. F. & ZINDER, N. D., Methylation of f1 DNA by a restriction endonuclease from *Escherichia coli*, B, 557
— (see also HORIUCHI, K.), 147

WEBER, K. (see also FILES, J. G.), 327
WERNER, R. (see also DIAZ, A. T.), 45, 63
WIENER, D. (see alwo DIAZ, A. T.), 45
WINTER, W. T. (see also GUSS, J. M.), 359

X-ray diffraction studies, preliminary, on lobster ATP: L-arginine phosphotransferase, 331

ZINDER, N. D. (see also HORIUCHI, K.), 147
— (see also VOVIS, G. F.), 557